



Water Quality Analysis 2024

Testing Parameter	1 Gallon Good & Gather Alkaline Water	1 Gal Up & Up Distilled Water	FDA SOQ	Units	Parámetro de prueba
Physical Quality					Calidad física
Alkalinity as CaCO ₃	20	ND		mg/LCaCO ₃	Alcalinidad como CaCO ₃
Color	ND	ND	15	CU	Color
Specific Conductance	74	1		umhos/cm	Conductancia específica
Corrosivity	0.13	-5.35		SI	Corrosividad
Hardness, Total	ND	ND		mg/L	Dureza, total
Odor, Threshold	ND	ND	3	TON	Olor, umbral
Solids Total Dissolved	22	ND	500	mg/L	Sólidos totales disueltos
Turbidity	ND	ND	5	NTU	Turbidez
pH	10	5.6			pH
Bicarbonate	ND	ND		mg/L	Bicarbonato
Disinfection Residuals/Disinfection By-Products					Residuos de desinfección/Subproduct
Bromate	ND	ND	10	mg/L	Bromato
Chloramine, Total	ND	ND	4	mg/L	Cloramina, total
Chlorite	ND	ND	1.0	mg/L	Clorito
Chlorine Dioxide	ND	ND	0.8	mg/L	Dióxido de cloro
Total Haloacetic Acid	ND	ND	0.06	mg/L	Ácido haloacético total
Dibromoacetic Acid	ND	ND		ug/L	Ácido dibromoacético
Dichloroacetic Acid	ND	ND		ug/L	Ácido dicloroacético
Monobromoacetic Acid	ND	ND		ug/L	Ácido monobromoacético
Monochloroacetic Acid	ND	ND		ug/L	Ácido monochloroacético
Trichloroacetic Acid	ND	ND		ug/L	Ácido trichloroacético
Chlorine, Total Residual	ND	ND	4	mg/L	Cloro, Residual total
Radiologicals					Radiológicos
P1 Gross Alpha	-0.359	-0.071	15	pCi/L	P1 Alfa bruto
P1 Gross Beta	9.54	1.26	50	pCi/L	P1 Beta bruto
Radium 226	0.380	0.135		pCi/L	Radio 226
Radium 228	0.322	0.376		pCi/L	Radio 228
Radium-226, Radium-228 Combined	0.702	0.511	5	pCi/L	Radio-226, Radio- 228 Combinado
Uranium	ND	ND	0.03	mg/L	Uranio
Inorganic Chemicals					Químicos inorgánicos
Aluminum	ND	ND	0.2	mg/L	Aluminio
Antimony	ND	ND	0.006	mg/L	Antimonio
Arsenic	ND	ND	0.01	mg/L	Arsénico
Asbestos in Water	ND	ND		MFL	Asbesto en agua
Barium	ND	ND	2	mg/L	Bario
Beryllium	ND	ND	0.004	mg/L	Berilio
Bromide	ND	ND		mg/L	Bromuro
Cadmium	ND	ND	0.005	mg/L	Cadmio
Calcium	ND	ND		mg/L	Calcio
Chloride	3.1	ND	250	mg/L	Cloruro
Chromium, Total	ND	ND	0.005	mg/L	Cromo (incluye cromo hexavalente)
Copper	ND	ND	1.0	mg/L	Cobre
Cyanide, Total	<0.020	<0.020	0.2	mg/L	Cianuro, total
Fluoride	ND	ND	4.0	mg/L	Fluoruro
Iron	ND	ND	0.3	mg/L	Hierro
Lead	ND	ND	0.005	mg/L	Plomo
Magnesium	ND	ND		mg/L	Magnesio
Manganese	ND	ND	0.05	mg/L	Manganeso
Mercury	ND	ND	0.002	mg/L	Mercurio
Nickel	ND	ND	0.1	mg/L	Níquel
Nitrogen, Nitrate	ND	ND	10	mg/L	Nitrógeno, Nitrato
Nitrogen, Nitrite	ND	ND	1	mg/L	Nitrógeno, Nitrito

Testing Parameter	Alkaline Water	Distilled Water	FDA SOQ	Units	Parámetro de prueba
Total Nitrate + Nitrite	ND	ND	10	mg/L	Nitrato Total + Nitrito
Potassium	13	ND		mg/L	Potasio
Selenium	ND	ND	0.05	mg/L	Selenio
Silver	ND	ND	0.1	mg/L	Plata
Sodium	ND	ND		mg/L	Sodio
Sulfate as SO4	ND	ND	250	mg/L	Sulfato como SO4
Thallium	ND	ND	0.002	mg/L	Talio
Total Phenols	ND	ND	0.001	mg/L	Fenólicos
Zinc	ND	ND	5	mg/L	Zinc
Organic Chemicals					Químicos orgánicos
Diquat	ND	ND	20	ug/L	Diquat
Endothall	ND	ND	100	ug/L	Endotal
Glyphosate	ND	ND	700	ug/L	Glifosato
Perchlorate	<0.050	<0.050		ug/L	Perclorato
1,4-Dioxane	<0.070	<0.070		ug/L	1,4-dioxano
2,3,7,8-Tetrachlorodibenzo-p-dioxin	ND	ND	30	ug/L	2,3,7,8- Tetraclorodibenzo-p-dioxina
Carbamate Pesticides					Carbamato Pesticidas
3-Hydroxycarbofuran	ND	ND		ug/L	3-hidroxicarbofurano
Aldicarb	ND	ND		ug/L	Aldicarb
Aldicarb sulfone	ND	ND		pg/L	Aldicarb sulfona
Aldicarb sulfoxide	ND	ND		ug/L	Aldicarb sulfóxido
Carbaryl	ND	ND		ug/L	Carbaryl
Carbofuran	ND	ND	40	ug/L	Carbofuran
Methomyl	ND	ND		ug/L	Metomyl
Oxamyl	ND	ND	200	ug/L	Oxamyl
Herbicides					Herbicidas
2,4,5-TP	ND	ND	50	ug/L	2, 4,5-TP
2,4-D	ND	ND	70	ug/L	2,4-D
Bentazon	ND	ND		ug/L	Bentazon
Dalapon	ND	ND	200	ug/L	Dalapon
Dicamba	ND	ND		ug/L	Dicamba
Dinoseb	ND	ND	7	ug/L	Dinoseb
Organic Chemicals					Químicos orgánicos
Pentachlorophenol	ND	ND	1	ug/L	Pentaclorofenol
Picloram	ND	ND		ug/L	Picloram
Multicomponent Pesticides and PCBs					Pesticidas multicomponentes y PCB
Chlordane	ND	ND	2	ug/L	Clordano
Total PCBs	ND	ND	0.5	ug/L	Total de PCB
Toxaphene	ND	ND	3	ug/L	Toxafeno
Semivolatile Organic Compounds					Compuestos Orgánicos Semivolátiles
Alachlor	ND	ND	2	ug/L	Alacloro
Aldrin	ND	ND		mg/L	Aldrin
Atrazine	ND	ND	3	ug/L	Atrazina
Benzo(a)Pyrene	ND	ND	0.2	ug/L	Benzo(a)Pireno
Di(2-ethylhexyl) adipate	ND	ND	400	ug/L	Bis(2-etilhexil)adipato
Di(2-ethylhexyl) phthalate	ND	ND	6	ug/L	bis(2-etilhexil)ftalato (DEHP)
Butachlor	ND	ND		ug/L	Butacloro
Dieldrin	ND	ND		ug/L	Die ldrín
Endrin	ND	ND	2	mg/L	Endrín
Heptachlor	ND	ND	0.0004	mg/L	Heptacloro
Heptachlor Epoxide	ND	ND	0.2	mg/L	Heptacloro Epóxido
Hexachlorobenzene	ND	ND	1	mg/L	Hexaclorobenceno
Hexachlorocyclopentadiene	ND	ND	50	mg/L	Hexaclorociclopentadieno
Lindane	ND	ND	0.2	mg/L	Lindano
Methoxychlor	ND	ND	40	mg/L	Metoxicloro
Metolachlor	ND	ND		ug/L	Metolacloro

Testing Parameter	Alkaline Water	Distilled Water	FDA SOQ	Units	Parámetro de prueba
Metribuzin	ND	ND		ug/L	Metribuzina
Molinate	ND	ND		ug/L	Molinato
Propachlor	ND	ND		ug/L	Propacloro
Simazine	ND	ND	4	ug/L	Simazine
Volatiles: EDB and DBCP					Volátiles: EDB y DBCP
1,2-Dibromo-3-Chloropropane (DBCP)	ND	ND	0.2	mg/L	1,2-Dibromo-3-Cloropropano (DBCP)
Ethylene Dibromide (EDB)	ND	ND	0.05	mg/L	Dibromuro de etileno (EDB)
Organic Chemicals					Químicos Orgánicos
Volatiles: Regulated and Monitoring VOC's					Volátiles: VOC Regulados y Monitoreados
1,1,1,2-Tetrachloroethane	ND	ND		mg/L	1,1,1,2-Tetracloroetano
1,1,1-Trichloroethane	ND	ND	200	mg/L	1,1,1-Tricloroetano
1,1,2,2-Tetrachloroethane	ND	ND		mg/L	1,1,2,2-Tetracloroetano
1,1,2-Trichloroethane	ND	ND	5	mg/L	1,1, 2-tricloroetano
1,1-Dichloroethane	ND	ND		mg/L	1,1-dicloroetano
1,1-Dichloroethene	ND	ND	7	mg/L	1,1-dicloroetileno
1,1-Dichloropropene	ND	ND		mg/L	1,1-dicloropropeno
1,2,3-Trichlorobenzene	ND	ND		mg/L	1,2,3-triclorobenceno
1,2,3-Trichloropropane	ND	ND		mg/L	1,2 ,3-tricloropropano
1,2,3-Trimethylbenzene	ND	ND		mg/L	1,2,3-trimetilbenceno
1,2,4-Trichlorobenzene	ND	ND	70	mg/L	1,2,4-triclorobenceno
1,2,4-Trimethylbenzene	ND	ND		mg/L	1,2,4-trimetilbenceno
1,2-Dichlorobenzene	ND	ND	600	mg/L	1,2-diclorobenceno ne
1,2-Dichloroethane	ND	ND	5	mg/L	1,2-Dicloroetano
1,2-Dichloropropane	ND	ND	5	mg/L	1,2-Dicloropropano
1,3,5-Trimethylbenzene	ND	ND		mg/L	1,3,5-Trimetilbenceno
1,3-Dichlorobenzene	ND	ND		mg/L	1,3-Diclorobenceno
1,3-Dichloropropane	ND	ND		mg/L	1,3- Dicloropropano
1,4-Dichlorobenzene	ND	ND	75	mg/L	1,4-Diclorobenceno
2,2-Dichloropropane	ND	ND		mg/L	2,2-Dicloropropano
2-Chlorotoluene	ND	ND		mg/L	2-Clorotolueno
4-Chlorotoluene	ND	ND		mg/L	4-Clorotolueno
Benzene	ND	ND	5	mg/L	Benceno
Bromobenzene	ND	ND		mg/L	Bromobenceno
Carbon Tetrachloride	ND	ND	5	mg/L	Carbono Tetracloruro
1,1-Dichloroethylene	ND	ND	70	mg/L	cis-1,2-Dicloroetileno
cis-1,2-Dichloroethylene	ND	ND		mg/L	cis-1,3-Dicloropropeno
Dichlorodifluoromethane	ND	ND		mg/L	Diclorodifluorometano
Chlorobenzene	ND	ND	100	mg/L	Clorobenceno
Ethyl Benzene	ND	ND	700	mg/L	Etilbenceno
Hexachlorobutadiene	ND	ND		mg/L	Hexaclorobutadieno
Isopropylbenzene (Cumene)	ND	ND		mg/L	Isopropilbenceno (cumeno)
m+p-Xylenes	ND	ND		mg/L	m+p-Xilenos
Methyl Ethyl Ketone	ND	ND		mg/L	Metil etil cetona
Methyl-tert-Butyl Ether (MTBE)	ND	ND	NA	mg/L	Metil-terc-butil éter (MTBE)
Organic Chemicals					Sustancias químicas orgánicas
Dichloromethane	ND	ND	5	mg/L	Cloruro de metileno
n-Butylbenzene	ND	ND		mg/L	n-Butilbenceno
n-Propylbenzene	ND	ND		mg/L	n-Propilbenceno
Naphthalene	ND	ND	NA	mg/L	Naftaleno
o-Xylene	ND	ND		mg/L	o-Xileno
4-Isopropyltoluene (Cymene)	ND	ND		mg/L	p-Isopropiltolueno (Cimeno)

Testing Parameter	Alkaline Water	Distilled Water	FDA SOQ	Units	Parámetro de prueba
sec-Butylbenzene	ND	ND		mg/L	sec-Butilbenceno
Styrene	ND	ND	100	mg/L	Estireno
tert-Butylbenzene	ND	ND		mg/L	terc-butilbenceno
Tetrachloroethylene (PCE)	ND	ND	5	mg/L	Tetracloroetileno
Toluene	ND	ND	1	mg/L	Tolueno
Total Trihalomethanes	ND	ND	80	mg/L	Trihalometanos totales
Total Xylenes	ND	ND	10	mg/L	Xilenos totales
trans-1,2-Dichloroethylene	ND	ND	100	mg/L	trans-1,2-Dicloroetileno
trans-1,3-Dichloropropene	ND	ND		mg/L	trans-1,3-Dicloropropeno
Trichloroethylene (TCE)	ND	ND	5	mg/L	Tricloroetileno
Trichlorofluoromethane (Freon 11)	ND	ND		mg/L	Triclorofluorometano
Trichlorotrifluoroethane (Freon 113)	ND	ND		mg/L	Triclorotrifluoroetano
Vinyl Chloride	ND	ND	2	mg/L	Cloruro de vinilo
Microbiological Quality					Calidad microbiológica
Coliform in Water/100 mL	ND	ND		mg/L	Coliformes en agua/100 ml
E. Coli in Water/100 mL	ND	ND		mg/L	E. coli en agua/100 ml
Other Compounds			IBWA SOQ		Otros compuestos
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11-Cl-PF3OUdS)	ND	ND	5.0	ng/L	Ácido 11-cloroeicosafluoro-3-oxaundecano-1-sulfónico (11-Cl-PF3OUdS)
Hexafluoropropyleneoxide dimer acid (HFPO-DA)(Gen-X)(PFPrOPrA)	ND	ND	5.0	ng/L	Ácido dímero de óxido de hexafluoropropileno (HFPO-DA)(Gen-X)(PFPrOPrA)
4,8-Dioxa-3H-perfluorononanoic acid (DONA)	ND	ND	5.0	ng/L	Ácido 4,8-dioxa-3H-perfluorononanoico (DONA)
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9-Cl-PF3ONS)	ND	ND	5.0	ng/L	Ácido 9-clorohexadecafluoro-3-oxanonano-1-sulfónico (9-Cl-PF3ONS)
N-Ethylperfluorooctane sulfonamido acetic acid (NEtFOSAA)	ND	ND	5.0	ng/L	Ácido N-etilperfluorooctano sulfonamidoacético (NEtFOSAA)
Perfluorobutane sulfonic acid (PFBS)	ND	ND	5.0	ng/L	Ácido perfluorobutanosulfónico (PFBS)
Perfluorodecanoic acid (PFDA)	ND	ND	5.0	ng/L	Ácido perfluorodecanoico (PFDA)
Perfluorododecanoic acid (PFDOA)	ND	ND	5.0	ng/L	Ácido perfluorododecanoico (PFDOA)
N-Methylperfluorooctane sulfonamido acetic acid (NMeFOSAA)	ND	ND	5.0	ng/L	Ácido N-metilperfluorooctano sulfonamidoacético (NMeFOSAA)
Perfluoroheptanoic acid (PFHpA)	ND	ND	5.0	ng/L	Ácido perfluoroheptanoico (PFHpA)
Perfluorohexane sulfonic acid (PFHxS)	ND	ND	5.0	ng/L	Ácido perfluorohexanosulfónico (PFHxS)
Perfluorononanoic acid (PFNA)	ND	ND	5.0	ng/L	Ácido perfluorononanoico (PFNA)
Perfluorooctane sulfonic acid (PFOS)	ND	ND	5.0	ng/L	Ácido perfluorooctano sulfónico (PFOS)
Perfluorohexanoic acid (PFHxA)	ND	ND	5.0	ng/L	Ácido perfluorohexanoico (PFHxA)
Perfluorohexanoic acid (PFHxA)	ND	ND	5.0	ng/L	Ácido perfluorohexanoico (PFHxA)
Perfluorooctanoic acid (PFOA)	ND	ND	5.0	ng/L	Ácido perfluorooctanoico (PFOA)
Perfluorotetradecanoic acid (PFTDA)	ND	ND	5.0	ng/L	Ácido perfluorotetradecanoico (PFTDA)
Perfluorotridecanoic acid (PFTrDA)	ND	ND	5.0	ng/L	Ácido perfluorotridecanoico (PFTrDA)
Perfluoroundecanoic acid (PFUnDA)	ND	ND	5.0	ng/L	Ácido perfluoroundecanoico (PFUnDA)

2024 Bottled Water Quality Report

Telephone Number: 1-877-224-8392

Treatment Process: Reverse Osmosis, Microfiltration, Ozonation and/or Steam Distillation.

We test our bottled water quality for many constituents as required by state and federal regulations. Please review the following Terms and Definitions to further your understanding of this bottled water report.

TERMS AND DEFINITIONS

Statement of Quality (SOQ): The standard (statement) of quality for bottled water is the highest level of a contaminant that is allowed in a container of bottled water, as established by the U.S. Food and Drug Administration (USFDA) and the California Department of Public Health. The standards can be no less protective of public health than the standards for public drinking water, established by the U.S. Environmental Protection Agency (USEPA) or the California Department of Public Health.

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water, established by the USEPA or the California Department of Public Health. Primary MCLs are set as close to the PHGs as is economically and technologically feasible.

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

2024 Informe de Calidad del Agua Embotellada

Teléfono: 1-877-224-8392

Proceso de tratamiento: Ósmosis inversa, microfiltración, ozonización y/o destilación por vapor.

Probamos la calidad del agua embotellada para los componentes de muchos, como requerido por las regulaciones estatales y federales. Por favor revise los siguientes términos y definiciones para avanzar en su comprensión de este informe sobre el agua embotellada.

DEFINICIONES

Declaración de calidad: Los estándares de calidad del agua embotellada establecen los límites legales máximos de diversas sustancias permitidas en el agua embotellada y los requisitos para su seguimiento. Las sustancias incluyen contaminantes microbianos, pesticidas, contaminantes inorgánicos, contaminantes orgánicos, contaminantes radiológicos, y otros. Los estándares han sido establecidos por la Administración de Alimentos y Medicamentos (FDA, Food and Drug Administration) de Estados Unidos, en base a los estándares para el agua potable pública de la Agencia de Protección del Medio Ambiente de Estados Unidos (USEPA, United States Environmental Protection Agency). El CDPH adopta las normas de la FDA pertinentes a los estándares de calidad del agua embotellada.

Nivel máximo de contaminante (MCL, Maximum contaminant level): El MCL es el nivel máximo de un contaminante permitido en el agua potable pública.

Meta de salud pública (PHG, Public health goal): La PHG es el nivel de un contaminante en el agua potable por debajo del cual se sabe o se supone que no constituye riesgo para la salud. Las PHG están establecidas por la Agencia de Protección del Medio Ambiente de California.

Principales estándares del agua potable (PDWS, Primary drinking water standards): Los PDWS se establecieron para ofrecer la máxima protección posible a la salud pública. El objetivo de establecer PDWS es fijar los MCL y los requisitos para su seguimiento e informes destinados a prevenir efectos adversos sobre la salud. Los PDWS se han establecido para cumplir de la mejor manera posible la meta de salud pública (PHG, public health goal) o la meta del nivel máximo de

t i t (MCLG i t i t l l l)

Statements Required Under California Law

California law requires a reference to FDA's website for recalls:
<http://www.fda.gov/opacom/7alerts.html>

Our product has been thoroughly tested in accordance with federal and California law. Our bottled water is a food product and cannot be sold unless it meets the standards established by the U.S. Food and Drug Administration and the California Department of Public Health. The following statements are required under California law:

"The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity. Substances that may be present in the source water include any of the following:

- 1. Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.*
- 2. Pesticides and herbicides that may come from a variety of sources, including, but not limited to, agriculture, urban storm water runoff, and residential uses.*
- 3. Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.*
- 4. Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems.*
- 5. Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities."*

"In order to ensure that bottled water is safe to drink, the United States Food and Drug Administration and the State Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by bottled water companies."

contaminante (MCLG, maximum contaminant level goal) siempre que sea económica y tecnológicamente factible.

Declaraciones requieren bajo las leyes de California

La ley de California requiere una referencia a la página web de la FDA para la recuerda:
<http://www.fda.gov/opacom/7alerts.html>

Nuestro producto ha sido probado exhaustivamente de acuerdo con el federal y la ley de California. Nuestra agua embotellada es un producto alimenticio y no se puede vender a menos que cumpla las normas establecidas por los EE.UU. Administración de Alimentos y Drogas de California y el Departamento de Salud Pública. Los siguientes estados están obligados en virtud de la ley de California:

" Las fuentes de agua embotellada incluyen ríos, lagos, arroyos, estanques, embalses, manantiales y pozos. A medida que el agua viaja naturalmente sobre la superficie de la tierra o a través del suelo, puede recoger sustancias que ocurren naturalmente, así como sustancias que están presentes debido a la actividad animal y humana. Las sustancias que pueden estar presentes en la fuente de agua incluyen cualquiera de las siguientes:

- 1. Sustancias inorgánicas, incluidas, entre otras, sales y metales, que pueden ocurrir naturalmente o resultar de la agricultura, escorrentía de aguas pluviales urbanas, aguas residuales industriales o domésticas vertidos, o producción de*
- 2. Pesticidas y herbicidas que pueden provenir de una variedad de fuentes, que incluyen, entre otras, agricultura, escorrentía de aguas pluviales urbanas y usos residenciales.*
- 3. Sustancias orgánicas que son subproductos de procesos industriales y producción de petróleo y que también pueden provenir de estaciones de servicio, escorrentías de aguas pluviales urbanas, aplicaciones agrícolas y sistemas sépticos.*
- 4. Organismos microbianos que pueden provenir de la vida silvestre, operaciones agrícolas ganaderas, plantas de tratamiento de aguas residuales y sistemas sépticos.*
- 5. Sustancias con propiedades radiactivas que pueden ocurrir naturalmente o ser el resultado de la producción de petróleo y gas y las actividades mineras ".*

"Para garantizar que el agua embotellada sea segura para beber, la Administración de Drogas y Alimentos de los Estados Unidos y el Departamento de Salud Pública del Estado prescriben regulaciones que limitan la cantidad de ciertos contaminantes en el agua proporcionada por las empresas de agua embotellada".